

Animal Evaluation Assign a Clinical Score by checking the appropriate box:

Assigned Clinical Score: *Enter the single value that best describes the clinical signs for each of the 6 categories below:*
0= no abnormal signs; 1=mild signs; 2=moderate signs; 3=severe signs

Muscle tone: tongue tone, anus, perianal region, or urethral sphincter show decreased or absent muscle tone	CLINICAL SCORE
Sensitivity: Rubs tail; anal sphincter reflex decreased or decreased peri-anal region sensitivity; gluteal muscle, semitendinosus muscle, or semimembranosus muscle shows abnormal sensitivity; increased/decreased panniculus response	CLINICAL SCORE
Paresis or paralysis: Penis or urinary bladder resulting in abnormal urination or dribbling urine; masticatory muscles, facial muscle or tongue resulting in dysphagia or dropping feed; tail carried to one side; pelvic limb weakness resulting in mild ataxia	CLINICAL SCORE
Muscle atrophy or fasciculation: Top line decreased musculature; gluteal muscle, semitendinosus muscle, semimembranosus muscle, masticatory muscles, facial muscles atrophied or show fasciculations; fasciculation of supporting muscles when rear limb elevated; generalized muscle fasciculations	CLINICAL SCORE
Gait anomaly: Proprioceptive deficits, weakness on tail pull	CLINICAL SCORE
Cranial nerve signs: Abnormal behavior; vestibular nystagmus; head tilt or eye drop; asymmetric twist to lips	CLINICAL SCORE

\